Product Safety Information Sheet

According to the requirements in Article 32 of Regulation (EC) No. 1907/2006

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

Synonyms : xD 99/99BG (=Dramix® Glued BRIGHT Steel fibres); xD 99/99BL - OL 99/.99 (=Dramix® Loose BRIGHT Steel fibres);

xD 99/99GG(=Dramix® Glued GALVANIZED Steel fibres); xD 99/99GL (=Dramix® Loose GALVANIZED Steel fibres)

Registration number REACH : Not applicable (article)

Product type REACH : Article

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Construction

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the Product Safety Information Sheet

Supplier of the safety data sheet

NV Bekaert SA
Bekaertstraat 2
B-8550 Zwevegem

2 +32 56 76 61 11

www.bekaert.com
info@bekaert.com

Manufacturer of the product

NV Bekaert SA Bekaertstraat 2 B-8550 Zwevegem infobuilding@bekaert.com

1.4. Emergency telephone number

During business hours : +32 56 76 61 11 For Australia only: 1300 665 755

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.2. Label elements

Labelling does not apply to articles

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

This article contains nickel that may cause an allergic reaction on direct and prolonged contact with the skin

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, seek medical advice.

After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

After skin contact:

Rinse with water. Soap may be used. Take victim to a doctor if irritation persists.

After eye contact:

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist if irritation persists.

After ingestion:

Rinse mouth with water. Consult a doctor/medical service if you feel unwell.

 $\label{thm:condition} \textbf{Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)}$

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be

© BIG vzw

Reason for revision: 1.1 Revision number: 0204 Publication date: 2004-07-06
Date of revision: 2024-06-11

BIG number: 40660

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

No effects known.

After eye contact:

No effects known.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Dry sand, Quick-acting D powder extinguisher.

5.1.2 Unsuitable extinguishing media:

Small fire: Quick-acting CO2 extinguisher, Water, Foam, Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher.

Major fire: Water, Foam,

5.2. Special hazards arising from the substance or mixture

Upon combustion: formation of CO and CO2, metal oxides and small quantities of nitrous vapours, phosphorus oxides.

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective clothing. Heat/fire exposure: self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves. Protective clothing.

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

No data available

6.3. Methods and material for containment and cleaning up

Pick-up the material.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid raising dust. Keep away from naked flames/heat. Observe normal hygiene standards.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: 0 $^{\circ}\text{C}$ - 60 $^{\circ}\text{C}.$ Store in a dry area. Meet the legal requirements.

7.2.2 Keep away from:

Heat sources, oxidizing agents, (strong) acids.

7.2.3 Suitable packaging material:

Paper, polyethylene.

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

Not applicable

Reason for revision: 1.1 Publication date: 2004-07-06

Date of revision: 2024-06-11

Revision number: 0204 BIG number: 40660 2 / 7

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

If applicable and available it will be listed below.

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

If applicable and available it will be listed below.

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

8.2.1 Appropriate engineering controls

Avoid raising dust. Keep away from naked flames/heat.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

Respiratory protection not required in normal conditions. Dust production: dust mask with filter type P1.

b) Hand protection:

Gloves.

c) Eye protection:

Safety glasses. In case of dust production: protective goggles.

d) Skin protection:

Protective clothing.

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Solid		
	Fibres		
Colour	No data available on colour		
Odour	Odourless		
Odour threshold	Not applicable		
Melting point	No data available		
Boiling point	No data available		
Flammability	Not classified as flammable		
Explosion limits	No data available		
Flash point	No data available		
Auto-ignition temperature	No data available		
Decomposition temperature	No data available		
рН	No data available		
Kinematic viscosity	No data available		
Dynamic viscosity	No data available		
Solubility	Water ; insoluble		
Log Kow	No data available		
Vapour pressure	No data available		
Absolute density			
Relative density	>1		
Relative vapour density	Not applicable		
Particle size	No data available		

9.2. Other information

No data available

Reason for revision: 1.1 Publication date: 2004-07-06
Date of revision: 2024-06-11

Revision number: 0204 BIG number: 40660 3 / 7

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Avoid raising dust. Keep away from naked flames/heat.

10.5. Incompatible materials

Oxidizing agents, (strong) acids.

10.6. Hazardous decomposition products

Upon combustion: formation of CO and CO2, metal oxides and small quantities of nitrous vapours, phosphorus oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

No (test)data available

Conclusion

Not classified for acute toxicity

Corrosion/irritation

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

No (test)data available

Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

No (test)data available

Conclusion

Not classified as sensitizing for inhalation

Not classified as sensitizing for skin

Specific target organ toxicity

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

No (test)data available

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

No (test)data available

Mutagenicity (in vivo)

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

No (test)data available

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

No (test)data available

Conclusion

Not classified for carcinogenicity

Reason for revision: 1.1 Publication date: 2004-07-06
Date of revision: 2024-06-11

Revision number: 0204 BIG number: 40660 4 / 7

Reproductive toxicity

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

No (test)data available

Conclusion

Not classified for reprotoxic or developmental toxicity

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

Toxicity other effects

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

No (test)data available

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

No (test)data available

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

Water

Biodegradability in water: no data available

12.3. Bioaccumulative potential

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

Log Kow

Method	Remark	Value	Temperature	Value determination
	No data available			

Conclusion

No bioaccumulation data available

12.4. Mobility in soil

No (test)data on mobility of the component(s) available

12.5. Results of PBT and vPvB assessment

Due to insufficient data no statement can be made whether the component(s) fulfil(s) the criteria of PBT and vPvB according to Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

17 04 05 (metals (including their alloys): iron and steel). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Recycle/reuse. Remove waste in accordance with local and/or national regulations.

13.1.3 Packaging/Container

European Union

Reason for revision: 1.1 Publication date: 2004-07-06
Date of revision: 2024-06-11

Revision number: 0204 BIG number: 40660 5 / 7

Waste material code packaging (Directive 2008/98/EC).

15 01 01 (paper and cardboard packaging).

15 01 02 (plastic packaging).

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.	14.1. UN number of ID number					
	Transport	Not subject				
14.	14.2. UN proper shipping name					
14.	4.3. Transport hazard class(es)					
	Hazard identification number					
	Class					
	Classification code					
14.	14.4. Packing group					
	Packing group					
	Labels					
14.	4.5. Environmental hazards					
	Environmentally hazardous substance mark	no				
14.	1.6. Special precautions for user					
	Special provisions					
	Limited quantities					
14.	14.7. Maritime transport in bulk according to IMO instruments					
	Annex II of MARPOL 73/78	Not applicable				

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other relevant data

No data available

15.2. Chemical safety assessment

No chemical safety assessment is required.

SECTION 16: Other information

INTERNAL CLASSIFICATION BY BIG

ADI Acceptable daily intake

AOEL Acceptable operator exposure level

ATE **Acute Toxicity Estimate BCF** Bioconcentration Factor BEI **Biological Exposure Indices**

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

DMEL Derived Minimal Effect Level **DNEL** Derived No Effect Level EC10 Effect Concentration 10 % EC50 Effect Concentration 50 %

ErC50 EC50 in terms of reduction of growth rate

GLP **Good Laboratory Practice** 1C0Lethal Concentration 0 % LC50 Lethal Concentration 50 %

LD50 Lethal Dose 50 %

LOAEC/LOAEL Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level NOAEC/NOAEL No Observed Adverse Effect Concentration/No Observed Adverse Effect Level

NOEC/NOEL No Observed Effect Concentration/No Observed Effect Level

Organisation for Economic Co-operation and Development OECD

PRT Persistent, Bioaccumulative & Toxic **PNEC** Predicted No Effect Concentration STP Sludge Treatment Process

vPvB very Persistent & very Bioaccumulative

The information in this Article Safety Data Sheet informs on the properties of certain substances, preparations or mixtures incorporated in the article. The Article Safety Data Sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this Article Safety Data Sheet does not release the user from the obligation to take all measures dictated by common sense, regulations, the guidelines of the manufacturer and recommendations or which are necessary and/or useful based on the real applicable circumstances. The Article Safety Data Sheet constitutes merely of guidelines and recommendations. The information in this Article Safety Data Sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. New Article Safety Data Sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the Article Safety Data Sheet, the information does not apply to other, even similar products. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties This Article Safety Data Sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this Article Safety Data Sheet is subject to the licence and liability limiting conditions as stated in the

Reason for revision: 1.1 Publication date: 2004-07-06

Date of revision: 2024-06-11

Revision number: 0204 BIG number: 40660 6/7

Bekaert Dramix® Loose and Glued BRIGHT/GALVANIZED Steel Fibres agreement between BIG and the manufacturer of this product or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details. Publication date: 2004-07-06 Reason for revision: 1.1 Date of revision: 2024-06-11

Revision number: 0204 BIG number: 40660 7/7